



Oxygen Free Copper Conductor Enamelled Copper Winding Wire for Customizable Applications

Our Product Introduction

for more products please visit us on enamel-wire.com

Basic Information

- Place of Origin: China
- Brand Name: PEWSC
- Certification: UL
- Model Number: Corona-resistance Enamelled rectangular copper wires
- Minimum Order Quantity: 300KG
- Price: It depends on order
- Packaging Details: Carton
- Delivery Time: 3-5 Work days
- Payment Terms: Cash on payments
- Supply Ability: Delivery 10-15 Days after Next Order



Product Specification

- Temperature Resistance: 240°C
- Conductor Type: Solid
- Shape: Flat
- Color Option: Natural Red
- Conductor Material: Copper
- Packing: Spool, Coil, Or Customized
- Product Type: HEVW -240C
- Size: Customizable
- Highlight: Customizable Enamelled Copper Winding Wire, Oxygen Free Copper Conductor Winding Wire



More Images



Product Description

Product Description:

Are you looking for a reliable and high-quality enameled copper wire for your electrical applications? Our Enameled Flat Copper Wire, also known as Enamelled Copper Rectangular Wire, is the perfect choice for your needs. This product falls under the Product Type HEVW-240C, ensuring a temperature resistance of up to 240°C, making it suitable for a wide range of applications.

Our Enameled Flat Copper Wire is designed to meet the highest industry standards, providing excellent performance and durability. The flat shape of the wire, also referred to as Enamelled Copper Winding Wire, offers unique advantages in certain applications, such as improved winding and compact designs.

When it comes to packaging options, we offer flexibility to meet your specific requirements. You can choose from spools, coils, or opt for customized packaging based on your preferences. This ensures that you receive the product in the most convenient and efficient manner for your operations.

One of the key features of our Enameled Flat Copper Wire is its customizable size. This allows you to order the wire in dimensions that perfectly suit your application needs, eliminating any unnecessary waste and ensuring optimal efficiency.

As for the conductor type, our Enameled Flat Copper Wire is constructed with a solid conductor, providing excellent conductivity and stability in various electrical environments. This ensures reliable performance and longevity, making it a cost-effective solution for your projects.

Whether you are working on electric motors, transformers, inductors, or any other electrical equipment that requires high-quality wiring, our Enameled Flat Copper Wire, also known as Flat Coated Wire, is the ideal choice. Its superior temperature resistance, customizable size, and solid conductor type make it a versatile and dependable option for a wide range of applications.

Features:

Product Name: Enameled Flat Copper Wire

Conductor Material: Copper

Temperature Resistance: 240°C

Color Option: Natural, Red

Packing: Spool, Coil, Or Customized

Size: Customizable

Technical Parameters:

Conductor Type	Solid
Conductor Material	Copper
Size	Customizable
Shape	Flat
Temperature Resistance	240°C
Product Type	HEVW -240C
Packing	Spool, Coil, Or Customized
Color	Various Colors Available
Color Option	Natural, Red
Conductor	Oxygen Free Copper

Applications:

PEWSC's Corona-resistance Enamelled rectangular copper wires are a versatile product that can be applied in a variety of occasions and scenarios due to their unique attributes.

Flat Coated Wire: The enameled flat copper wire from PEWSC is ideal for applications where a flat profile is required, such as in transformers, motors, and various electrical devices. Its flat design allows for efficient winding and compact installations.

Enamelled Copper Winding Wire: The PEWSC enameled copper winding wire is perfect for use in high-performance electrical equipment that requires reliable and efficient winding. Its excellent conductivity and enamel coating ensure optimal performance in demanding applications.

Enamelled Copper Rectangular Wire: The rectangular shape of the PEWSC enameled copper wire makes it suitable for applications where space is limited, such as in compact electronic devices, automotive components, and power tools. Its copper material and enamel insulation provide durability and safety.

With a temperature resistance of 240°C, the PEWSC enameled copper wires are well-suited for environments that require high heat tolerance, ensuring reliable performance under challenging conditions.

Manufactured in China, these wires are certified with UL, guaranteeing quality and safety standards. The minimum order quantity is 300KG, and the price depends on the order specifications. Packaging details include cartons, and delivery time is 3-5 work days, with payment terms of cash on payments.

PEWSC's supply ability ensures quick delivery within 10-15 days after the next order. The conductor material is oxygen-free copper, providing excellent conductivity and performance. The product type is HEVW-240C, suitable for a wide range of electrical applications. Available in various packing options such as spools, coils, or customized packaging, the PEWSC enameled copper wires offer flexibility and convenience for different usage scenarios.

Customization:

- Product Customization Services for Enameled Flat Copper Wire:
- Brand Name: PEWSC
 - Model Number: Corona-resistance Enamelled rectangular copper wires
 - Place of Origin: China
 - Certification: UL
 - Minimum Order Quantity: 300KG
 - Price: It depends on order
 - Packaging Details: Carton
 - Delivery Time: 3-5 Work days
 - Payment Terms: Cash on payments
 - Supply Ability: Delivery 10-15 Days after Next Order
 - Size: Customizable
 - Color Option: Natural,Red
 - Conductor: Oxygen Free Copper
 - Color: Various Colors Available
 - Shape: Flat

Support and Services:

- Our Product Technical Support and Services for Enameled Flat Copper Wire include:
- Expert guidance on product specifications and applications
 - Assistance with troubleshooting technical issues
 - Recommendations for proper handling and storage
 - Customized solutions for specific project requirements
 - Regular updates on industry standards and best practices


Packing and Shipping:


Product Packaging:

The Enameled Flat Copper Wire is carefully packaged to ensure its safety during transit. Each spool of wire is wrapped in protective material to prevent damage from moisture, dust, and other elements. The spools are then placed in sturdy cardboard boxes for added protection.

Shipping:

When you place an order for the Enameled Flat Copper Wire, we strive to ship it to you as quickly and efficiently as possible. We partner with reliable shipping carriers to deliver your order safely to your doorstep. You can track your shipment using the provided tracking number to know exactly when to expect your package.





Pacific Electric Wire & Cable (Shenzhen) Co., Ltd.



13265485132



sales09@pewsc.com



enamel-wire.com

