



Flat Coated Wire with Solid Oxygen Free Copper Conductor The Perfect Material for Long-lasting and Dependable Performance

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: PEWSC
- Certification: UL
- Model Number: Corona-resistance Enamelled copper wires
- Minimum Order Quantity: 300KG
- Price: It depends on order
- Packaging Details: Carton
- Delivery Time: 3-5 Work days
- Payment Terms: Cash on payments
- Supply Ability: Delivery 10-15 Days after Next Order



Product Specification

- Conductor Material: Copper
- Shape: Flat
- Conductor Type: Solid
- Conductor: Oxygen Free Copper
- Product Type: HEVW -200C
- Temperature Resistance: 200°C
- Color: Various Colors Available
- Color Option: Natural Red
- Highlight: **Oxygen Free Copper Conductor Flat Wire, Long-lasting Flat Copper Wire**



More Images



Product Description

Product Description:

Are you searching for a reliable and high-quality enameled flat copper wire for your electrical applications? Look no further than our Enameled Flat Copper Wire product, also known as Enamelled Copper Rectangular Wire or Flat Coated Wire. This product is designed to meet your specific needs with its exceptional attributes and performance.

Our Enameled Flat Copper Wire is crafted from Oxygen Free Copper, ensuring excellent conductivity and durability for various electrical applications. The use of high-quality copper as the conductor material guarantees optimal performance and reliability, making it suitable for a wide range of industries and projects.

One of the standout features of our Enameled Flat Copper Wire is its impressive temperature resistance of up to 200°C. This high temperature resistance allows the wire to withstand elevated temperatures without compromising its functionality, making it ideal for applications where heat is a concern.

Available in various colors, our Enameled Flat Copper Wire offers flexibility and customization to suit your specific requirements and preferences. Whether you need a specific color for coding or aesthetic purposes, we have a range of options available to meet your needs.

The flat shape of the wire sets it apart from traditional round wires, offering unique advantages for certain applications. The flat design provides a larger surface area for heat dissipation and improved efficiency in specific installations, making it a versatile choice for a variety of projects.

Whether you are working on electronics, transformers, motors, or other electrical devices, our Enameled Flat Copper Wire is a reliable and efficient solution for your needs. Its flat shape, combined with the superior conductivity of copper, ensures optimal performance and longevity in demanding applications.

When you choose our Enameled Flat Copper Wire, you can trust that you are getting a high-quality product that meets industry standards and specifications. The exceptional craftsmanship and attention to detail in its manufacturing guarantee consistent performance and reliability in your projects.

Upgrade your electrical applications with our Enameled Flat Copper Wire today. Experience the benefits of using a premium product that offers superior temperature resistance, excellent conductivity, and customization options to meet your specific needs. Trust in the quality and reliability of our Enamelled Copper Rectangular Wire for your next project.

Features:

Product Name: Enameled Flat Copper Wire

Conductor Material: Copper

Product Type: HEVW -200C

Temperature Resistance: 200°C

Size: Customizable

Packing: Spool, Coil, Or Customized

Technical Parameters:

Size	Customizable
Conductor	Oxygen Free Copper
Product Type	HEVW -200C
Packing	Spool, Coil, Or Customized
Temperature Resistance	200°C
Color	Various Colors Available
Conductor Type	Solid
Color Option	Natural, Red
Conductor Material	Copper
Shape	Flat

Applications:

PEWSC Enameled Flat Copper Wire, also known as Corona-resistance Enamelled Copper Wires, is a high-quality product originating from China. This product is certified with UL, ensuring its reliability and safety for various applications.

The Enameled Flat Copper Wire is suitable for a wide range of Product Application Occasions and Scenarios due to its exceptional attributes. The conductor material, copper, provides excellent conductivity, making it ideal for applications requiring efficient electrical transmission.

With a temperature resistance of 200°C, this product is perfect for scenarios where heat may be a factor. The flat shape of the wire makes it particularly useful for applications that require a compact design, such as in electric motors, transformers, and other electronic devices.

The PEWSC Enameled Flat Copper Wire is commonly used in Enamelled Copper Rectangular Wire, Flat Coated Wire, and Enamelled Copper Winding Wire applications. Its versatility and durability make it a preferred choice for various industries.

When considering purchasing this product, the minimum order quantity is 300KG, and the price depends on the order placed. The packaging details typically involve cartons, and the delivery time is estimated to be 3-5 work days. Payment terms are cash on payments, ensuring a straightforward transaction process.

Moreover, the supply ability of this product is efficient, with delivery typically taking place 10-15 days after the next order. The packing options include spool, coil, or customized packaging based on specific requirements.

In conclusion, the PEWSC Enameled Flat Copper Wire, with its exceptional attributes and versatile applications, is a reliable choice for various Product Application Occasions and Scenarios. Its quality, certification, and efficient performance make it a valuable component in many industries.

Customization:

Product Customization Services for Enameled Flat Copper Wire:

Brand Name: PEWSC

Model Number: Corona-resistance Enamelled copper wires

Place of Origin: China

Certification: UL

Minimum Order Quantity: 300KG

Price: It depends on order

Packaging Details: Carton

Delivery Time: 3-5 Work days

Payment Terms: Cash on payments

Supply Ability: Delivery 10-15 Days after Next Order

Temperature Resistance: 200°C

Product Type: HEVW -200C

Packing: Spool, Coil, Or Customized

Color: Various Colors Available

Conductor: Oxygen Free Copper

Keywords: Enamelled Copper Rectangular Wire, Enamelled Copper Winding Wire, Flat Coated Wire

Packing and Shipping:

Product Packaging:

The Enameled Flat Copper Wire is carefully packaged in a sturdy cardboard box with appropriate cushioning to prevent any damage during transport. Each spool of wire is securely sealed to maintain its quality and integrity.

Shipping:

Orders of the Enameled Flat Copper Wire are processed promptly and shipped using reputable carriers to ensure timely delivery. Customers can track their shipment using the provided tracking number to monitor the status of their order.

FAQ:

Q: What is the brand name of the enameled flat copper wire?

A: The brand name is PEWSC.

Q: Where is the enameled flat copper wire manufactured?

A: The wire is manufactured in China.

Q: What is the certification of the enameled flat copper wire?

A: The wire is certified by UL.



Q: What is the minimum order quantity for the enameled flat copper wire?

A: The minimum order quantity is 300KG.

Q: What are the packaging details for the enameled flat copper wire?

A: The wire is packaged in cartons.





Pacific Electric Wire & Cable (Shenzhen) Co., Ltd.



13265485132



sales09@pewsc.com



enamel-wire.com

